

Adjustable handles, plastic with external thread and push button, threaded insert black oxidized steel - inch

Item description/product images

INCH
Parts



Description

Material:

Handle fiberglass reinforced plastic, toothed ring die-cast zinc.
Steel parts grade 5.8.
Push button plastic (POM).

Version:

Steel parts black oxidized.

Order information:

Threaded studs with dimension $L=70$ mm or greater are partially threaded, 60 mm.

Note:

The standard colors are:
Black gray handle, traffic red push button.
Orange handle, black gray push button.
Traffic red handle, black gray push button.

Where $L \geq 60$ mm the thread length is 60 mm.


On request:

Other threads, screw lengths and special versions.
Dimension "H1" available in other lengths at extra charge.

Drawing reference:

1) flat point DIN EN ISO 4753

Drawings



Adjustable handles with push button, external thread

Adjustable handles, plastic with external thread and push button, threaded insert black oxidized steel - inch

Order No.	Main color	Size	X	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth	L
K0269.711A0X10	black gray RAL 7021	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	10
K0269.711A0X15	black gray RAL 7021	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	15
K0269.711A0X20	black gray RAL 7021	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	20
K0269.711A0X25	black gray RAL 7021	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	25
K0269.711A0X30	black gray RAL 7021	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	30
K0269.711A0X35	black gray RAL 7021	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	35
K0269.711A0X40	black gray RAL 7021	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	40
K0269.711A0X45	black gray RAL 7021	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	45
K0269.711A0X50	black gray RAL 7021	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	50
K0269.721A0X10	orange RAL 2004	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	10
K0269.721A0X15	orange RAL 2004	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	15
K0269.721A0X20	orange RAL 2004	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	20
K0269.721A0X25	orange RAL 2004	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	25
K0269.721A0X30	orange RAL 2004	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	30
K0269.721A0X35	orange RAL 2004	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	35
K0269.721A0X40	orange RAL 2004	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	40
K0269.721A0X45	orange RAL 2004	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	45
K0269.721A0X50	orange RAL 2004	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	50
K0269.731A0X10	traffic red RAL 3020	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	10
K0269.731A0X15	traffic red RAL 3020	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	15
K0269.731A0X20	traffic red RAL 3020	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	20
K0269.731A0X25	traffic red RAL 3020	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	25
K0269.731A0X30	traffic red RAL 3020	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	30
K0269.731A0X35	traffic red RAL 3020	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	35
K0269.731A0X40	traffic red RAL 3020	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	40
K0269.731A0X45	traffic red RAL 3020	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	45
K0269.731A0X50	traffic red RAL 3020	1	10-24	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	50
K0269.711A1X10	black gray RAL 7021	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	10
K0269.711A1X15	black gray RAL 7021	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	15
K0269.711A1X20	black gray RAL 7021	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	20
K0269.711A1X25	black gray RAL 7021	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	25
K0269.711A1X30	black gray RAL 7021	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	30
K0269.711A1X35	black gray RAL 7021	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	35
K0269.711A1X40	black gray RAL 7021	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	40
K0269.711A1X45	black gray RAL 7021	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	45
K0269.711A1X50	black gray RAL 7021	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	50
K0269.721A1X10	orange RAL 2004	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	10
K0269.721A1X15	orange RAL 2004	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	15
K0269.721A1X20	orange RAL 2004	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	20
K0269.721A1X25	orange RAL 2004	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	25
K0269.721A1X30	orange RAL 2004	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	30
K0269.721A1X35	orange RAL 2004	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	35
K0269.721A1X40	orange RAL 2004	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	40
K0269.721A1X45	orange RAL 2004	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	45
K0269.721A1X50	orange RAL 2004	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	50
K0269.731A1X10	traffic red RAL 3020	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	10
K0269.731A1X15	traffic red RAL 3020	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	15
K0269.731A1X20	traffic red RAL 3020	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	20
K0269.731A1X25	traffic red RAL 3020	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	25
K0269.731A1X30	traffic red RAL 3020	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	30
K0269.731A1X35	traffic red RAL 3020	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	35
K0269.731A1X40	traffic red RAL 3020	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	40
K0269.731A1X45	traffic red RAL 3020	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	45
K0269.731A1X50	traffic red RAL 3020	1	10-32	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	50
K0269.711A2X10	black gray RAL 7021	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	10
K0269.711A2X15	black gray RAL 7021	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	15
K0269.711A2X20	black gray RAL 7021	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	20
K0269.711A2X25	black gray RAL 7021	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	25
K0269.711A2X30	black gray RAL 7021	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	30
K0269.711A2X35	black gray RAL 7021	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	35
K0269.711A2X40	black gray RAL 7021	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	40
K0269.711A2X45	black gray RAL 7021	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	45
K0269.711A2X50	black gray RAL 7021	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	50

Adjustable handles, plastic with external thread and push button, threaded insert black oxidized steel - inch

Order No.	Main color	Size	X	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth	L
K0269.721A2X10	orange RAL 2004	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	10
K0269.721A2X15	orange RAL 2004	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	15
K0269.721A2X20	orange RAL 2004	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	20
K0269.721A2X25	orange RAL 2004	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	25
K0269.721A2X30	orange RAL 2004	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	30
K0269.721A2X35	orange RAL 2004	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	35
K0269.721A2X40	orange RAL 2004	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	40
K0269.721A2X45	orange RAL 2004	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	45
K0269.721A2X50	orange RAL 2004	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	50
K0269.731A2X10	traffic red RAL 3020	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	10
K0269.731A2X15	traffic red RAL 3020	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	15
K0269.731A2X20	traffic red RAL 3020	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	20
K0269.722A2X15	orange RAL 2004	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	15
K0269.722A2X20	orange RAL 2004	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	20
K0269.722A2X25	orange RAL 2004	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	25
K0269.731A2X25	traffic red RAL 3020	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	25
K0269.731A2X30	traffic red RAL 3020	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	30
K0269.731A2X35	traffic red RAL 3020	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	35
K0269.731A2X40	traffic red RAL 3020	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	40
K0269.731A2X45	traffic red RAL 3020	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	45
K0269.731A2X50	traffic red RAL 3020	1	1/4-20	10	13	14,5	25,5	4	15	30	33,5	40	47	7,5	16	50
K0269.712A2X15	black gray RAL 7021	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	15
K0269.712A2X20	black gray RAL 7021	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	20
K0269.712A2X25	black gray RAL 7021	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	25
K0269.712A2X30	black gray RAL 7021	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	30
K0269.712A2X35	black gray RAL 7021	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	35
K0269.712A2X40	black gray RAL 7021	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	40
K0269.712A2X45	black gray RAL 7021	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	45
K0269.712A2X50	black gray RAL 7021	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	50
K0269.712A2X55	black gray RAL 7021	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	55
K0269.712A2X60	black gray RAL 7021	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	60
K0269.722A2X30	orange RAL 2004	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	30
K0269.722A2X35	orange RAL 2004	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	35
K0269.722A2X40	orange RAL 2004	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	40
K0269.722A2X45	orange RAL 2004	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	45
K0269.722A2X50	orange RAL 2004	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	50
K0269.722A2X55	orange RAL 2004	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	55
K0269.722A2X60	orange RAL 2004	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	60
K0269.732A2X15	traffic red RAL 3020	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	15
K0269.732A2X20	traffic red RAL 3020	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	20
K0269.732A2X25	traffic red RAL 3020	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	25
K0269.732A2X30	traffic red RAL 3020	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	30
K0269.732A2X35	traffic red RAL 3020	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	35
K0269.732A2X40	traffic red RAL 3020	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	40
K0269.732A2X45	traffic red RAL 3020	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	45
K0269.732A2X50	traffic red RAL 3020	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	50
K0269.732A2X55	traffic red RAL 3020	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	55
K0269.732A2X60	traffic red RAL 3020	2	1/4-20	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	60
K0269.712A3X15	black gray RAL 7021	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	15
K0269.712A3X20	black gray RAL 7021	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	20
K0269.712A3X25	black gray RAL 7021	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	25
K0269.712A3X30	black gray RAL 7021	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	30
K0269.712A3X35	black gray RAL 7021	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	35
K0269.712A3X40	black gray RAL 7021	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	40
K0269.712A3X45	black gray RAL 7021	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	45
K0269.712A3X50	black gray RAL 7021	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	50
K0269.712A3X55	black gray RAL 7021	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	55
K0269.712A3X60	black gray RAL 7021	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	60
K0269.722A3X15	orange RAL 2004	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	15
K0269.722A3X20	orange RAL 2004	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	20
K0269.722A3X25	orange RAL 2004	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	25
K0269.722A3X30	orange RAL 2004	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	30
K0269.722A3X35	orange RAL 2004	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	35

Adjustable handles, plastic with external thread and push button, threaded insert black oxidized steel - inch

Order No.	Main color	Size	X	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth	L
K0269.722A3X40	orange RAL 2004	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	40
K0269.722A3X45	orange RAL 2004	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	45
K0269.722A3X50	orange RAL 2004	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	50
K0269.722A3X55	orange RAL 2004	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	55
K0269.722A3X60	orange RAL 2004	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	60
K0269.732A3X15	traffic red RAL 3020	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	15
K0269.732A3X20	traffic red RAL 3020	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	20
K0269.732A3X25	traffic red RAL 3020	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	25
K0269.732A3X30	traffic red RAL 3020	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	30
K0269.732A3X35	traffic red RAL 3020	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	35
K0269.732A3X40	traffic red RAL 3020	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	40
K0269.732A3X45	traffic red RAL 3020	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	45
K0269.732A3X50	traffic red RAL 3020	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	50
K0269.732A3X55	traffic red RAL 3020	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	55
K0269.732A3X60	traffic red RAL 3020	2	5/16-18	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	60
K0269.712A4X15	black gray RAL 7021	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	15
K0269.712A4X20	black gray RAL 7021	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	20
K0269.712A4X25	black gray RAL 7021	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	25
K0269.712A4X30	black gray RAL 7021	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	30
K0269.712A4X35	black gray RAL 7021	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	35
K0269.712A4X40	black gray RAL 7021	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	40
K0269.712A4X45	black gray RAL 7021	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	45
K0269.712A4X50	black gray RAL 7021	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	50
K0269.712A4X55	black gray RAL 7021	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	55
K0269.712A4X60	black gray RAL 7021	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	60
K0269.722A4X15	orange RAL 2004	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	15
K0269.722A4X20	orange RAL 2004	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	20
K0269.722A4X25	orange RAL 2004	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	25
K0269.722A4X30	orange RAL 2004	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	30
K0269.722A4X35	orange RAL 2004	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	35
K0269.722A4X40	orange RAL 2004	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	40
K0269.722A4X45	orange RAL 2004	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	45
K0269.722A4X50	orange RAL 2004	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	50
K0269.722A4X55	orange RAL 2004	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	55
K0269.732A4X15	traffic red RAL 3020	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	15
K0269.732A4X60	orange RAL 2004	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	60
K0269.732A4X20	traffic red RAL 3020	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	20
K0269.732A4X25	traffic red RAL 3020	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	25
K0269.732A4X35	traffic red RAL 3020	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	35
K0269.732A4X30	traffic red RAL 3020	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	30
K0269.732A4X40	traffic red RAL 3020	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	40
K0269.732A4X45	traffic red RAL 3020	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	45
K0269.732A4X50	traffic red RAL 3020	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	50
K0269.732A4X55	traffic red RAL 3020	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	55
K0269.732A4X60	traffic red RAL 3020	2	3/8-16	13,5	18	19,5	29,5	6,5	17,5	41,5	45,5	65	75	9,5	20	60
K0269.713A3X15	black gray RAL 7021	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	15
K0269.713A3X25	black gray RAL 7021	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	25
K0269.713A3X20	black gray RAL 7021	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	20
K0269.713A3X30	black gray RAL 7021	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	30
K0269.713A3X35	black gray RAL 7021	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	35
K0269.713A3X40	black gray RAL 7021	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	40
K0269.713A3X45	black gray RAL 7021	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	45
K0269.713A3X50	black gray RAL 7021	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	50
K0269.713A3X55	black gray RAL 7021	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	55
K0269.713A3X60	black gray RAL 7021	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	60
K0269.723A3X15	orange RAL 2004	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	15
K0269.723A3X20	orange RAL 2004	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	20
K0269.723A3X25	orange RAL 2004	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	25
K0269.723A3X30	orange RAL 2004	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	30
K0269.723A3X35	orange RAL 2004	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	35
K0269.723A3X40	orange RAL 2004	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	40
K0269.723A3X45	orange RAL 2004	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	45
K0269.723A3X50	orange RAL 2004	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	50

Adjustable handles, plastic with external thread and push button, threaded insert black oxidized steel - inch

Order No.	Main color	Size	X	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth	L
K0269.723A3X55	orange RAL 2004	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	55
K0269.723A3X60	orange RAL 2004	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	60
K0269.733A3X15	traffic red RAL 3020	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	15
K0269.733A3X20	traffic red RAL 3020	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	20
K0269.733A3X25	traffic red RAL 3020	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	25
K0269.733A3X30	traffic red RAL 3020	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	30
K0269.733A3X35	traffic red RAL 3020	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	35
K0269.733A3X40	traffic red RAL 3020	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	40
K0269.733A3X45	traffic red RAL 3020	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	45
K0269.733A3X50	traffic red RAL 3020	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	50
K0269.733A3X55	traffic red RAL 3020	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	55
K0269.733A3X60	traffic red RAL 3020	3	5/16-18	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	60
K0269.713A4X15	black gray RAL 7021	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	15
K0269.713A4X20	black gray RAL 7021	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	20
K0269.713A4X25	black gray RAL 7021	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	25
K0269.713A4X30	black gray RAL 7021	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	30
K0269.713A4X35	black gray RAL 7021	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	35
K0269.713A4X40	black gray RAL 7021	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	40
K0269.713A4X45	black gray RAL 7021	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	45
K0269.713A4X50	black gray RAL 7021	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	50
K0269.713A4X55	black gray RAL 7021	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	55
K0269.713A4X60	black gray RAL 7021	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	60
K0269.723A4X15	orange RAL 2004	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	15
K0269.723A4X20	orange RAL 2004	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	20
K0269.723A4X25	orange RAL 2004	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	25
K0269.723A4X30	orange RAL 2004	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	30
K0269.723A4X35	orange RAL 2004	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	35
K0269.723A4X40	orange RAL 2004	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	40
K0269.723A4X45	orange RAL 2004	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	45
K0269.723A4X50	orange RAL 2004	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	50
K0269.723A4X55	orange RAL 2004	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	55
K0269.723A4X60	orange RAL 2004	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	60
K0269.733A4X15	traffic red RAL 3020	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	15
K0269.733A4X20	traffic red RAL 3020	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	20
K0269.733A4X25	traffic red RAL 3020	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	25
K0269.733A4X30	traffic red RAL 3020	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	30
K0269.733A4X35	traffic red RAL 3020	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	35
K0269.733A4X40	traffic red RAL 3020	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	40
K0269.733A4X45	traffic red RAL 3020	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	45
K0269.733A4X50	traffic red RAL 3020	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	50
K0269.733A4X55	traffic red RAL 3020	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	55
K0269.733A4X60	traffic red RAL 3020	3	3/8-16	16	21,5	23	38,5	10	24	53,5	58	80	91,5	11	22	60
K0269.714A4X20	black gray RAL 7021	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	20
K0269.714A4X25	black gray RAL 7021	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	25
K0269.714A4X30	black gray RAL 7021	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	30
K0269.714A4X35	black gray RAL 7021	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	35
K0269.714A4X40	black gray RAL 7021	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	40
K0269.714A4X50	black gray RAL 7021	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	50
K0269.714A4X55	black gray RAL 7021	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	55
K0269.714A4X45	black gray RAL 7021	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	45
K0269.714A4X60	black gray RAL 7021	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	60
K0269.714A4X70	black gray RAL 7021	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	70
K0269.714A4X80	black gray RAL 7021	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	80
K0269.714A4X90	black gray RAL 7021	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	90
K0269.724A4X20	orange RAL 2004	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	20
K0269.724A4X25	orange RAL 2004	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	25
K0269.724A4X30	orange RAL 2004	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	30
K0269.724A4X35	orange RAL 2004	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	35
K0269.724A4X40	orange RAL 2004	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	40
K0269.724A4X45	orange RAL 2004	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	45
K0269.724A4X50	orange RAL 2004	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	50
K0269.724A4X55	orange RAL 2004	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	55
K0269.724A4X60	orange RAL 2004	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	60

Adjustable handles, plastic with external thread and push button, threaded insert black oxidized steel - inch

Order No.	Main color	Size	X	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth	L
K0269.724A4X70	orange RAL 2004	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	70
K0269.724A4X80	orange RAL 2004	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	80
K0269.724A4X90	orange RAL 2004	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	90
K0269.734A4X20	traffic red RAL 3020	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	20
K0269.734A4X25	traffic red RAL 3020	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	25
K0269.734A4X30	traffic red RAL 3020	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	30
K0269.734A4X35	traffic red RAL 3020	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	35
K0269.734A4X40	traffic red RAL 3020	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	40
K0269.734A4X45	traffic red RAL 3020	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	45
K0269.734A4X50	traffic red RAL 3020	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	50
K0269.734A4X55	traffic red RAL 3020	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	55
K0269.734A4X60	traffic red RAL 3020	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	60
K0269.734A4X70	traffic red RAL 3020	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	70
K0269.734A4X90	traffic red RAL 3020	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	90
K0269.734A4X80	traffic red RAL 3020	4	3/8-16	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	80
K0269.714A5X20	black gray RAL 7021	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	20
K0269.714A5X25	black gray RAL 7021	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	25
K0269.714A5X30	black gray RAL 7021	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	30
K0269.714A5X35	black gray RAL 7021	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	35
K0269.714A5X40	black gray RAL 7021	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	40
K0269.714A5X45	black gray RAL 7021	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	45
K0269.714A5X50	black gray RAL 7021	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	50
K0269.714A5X55	black gray RAL 7021	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	55
K0269.714A5X60	black gray RAL 7021	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	60
K0269.714A5X70	black gray RAL 7021	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	70
K0269.714A5X80	black gray RAL 7021	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	80
K0269.714A5X90	black gray RAL 7021	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	90
K0269.724A5X20	orange RAL 2004	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	20
K0269.724A5X25	orange RAL 2004	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	25
K0269.724A5X30	orange RAL 2004	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	30
K0269.724A5X35	orange RAL 2004	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	35
K0269.724A5X40	orange RAL 2004	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	40
K0269.724A5X45	orange RAL 2004	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	45
K0269.724A5X50	orange RAL 2004	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	50
K0269.724A5X55	orange RAL 2004	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	55
K0269.724A5X60	orange RAL 2004	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	60
K0269.724A5X70	orange RAL 2004	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	70
K0269.724A5X80	orange RAL 2004	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	80
K0269.724A5X90	orange RAL 2004	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	90
K0269.734A5X20	traffic red RAL 3020	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	20
K0269.734A5X25	traffic red RAL 3020	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	25
K0269.734A5X30	traffic red RAL 3020	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	30
K0269.734A5X35	traffic red RAL 3020	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	35
K0269.734A5X40	traffic red RAL 3020	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	40
K0269.734A5X45	traffic red RAL 3020	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	45
K0269.734A5X50	traffic red RAL 3020	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	50
K0269.734A5X55	traffic red RAL 3020	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	55
K0269.734A5X60	traffic red RAL 3020	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	60
K0269.734A5X70	traffic red RAL 3020	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	70
K0269.734A5X80	traffic red RAL 3020	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	80
K0269.734A5X90	traffic red RAL 3020	4	1/2-13	19	25,5	27,5	44,6	10	26	61	66	95	109	13	24	90
K0269.715A5X25	black gray RAL 7021	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	25
K0269.715A5X30	black gray RAL 7021	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	30
K0269.715A5X35	black gray RAL 7021	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	35
K0269.715A5X40	black gray RAL 7021	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	40
K0269.715A5X45	black gray RAL 7021	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	45
K0269.715A5X50	black gray RAL 7021	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	50
K0269.715A5X55	black gray RAL 7021	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	55
K0269.715A5X60	black gray RAL 7021	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	60
K0269.715A5X70	black gray RAL 7021	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	70
K0269.715A5X80	black gray RAL 7021	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	80
K0269.715A5X90	black gray RAL 7021	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	90
K0269.725A5X25	orange RAL 2004	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	25

Adjustable handles, plastic with external thread and push button, threaded insert black oxidized steel - inch

Order No.	Main color	Size	X	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth	L
K0269.725A5X30	orange RAL 2004	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	30
K0269.725A5X35	orange RAL 2004	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	35
K0269.725A5X40	orange RAL 2004	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	40
K0269.725A5X45	orange RAL 2004	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	45
K0269.725A5X50	orange RAL 2004	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	50
K0269.725A5X55	orange RAL 2004	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	55
K0269.725A5X60	orange RAL 2004	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	60
K0269.725A5X70	orange RAL 2004	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	70
K0269.725A5X80	orange RAL 2004	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	80
K0269.725A5X90	orange RAL 2004	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	90
K0269.735A5X25	traffic red RAL 3020	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	25
K0269.735A5X30	traffic red RAL 3020	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	30
K0269.735A5X35	traffic red RAL 3020	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	35
K0269.735A5X40	traffic red RAL 3020	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	40
K0269.735A5X45	traffic red RAL 3020	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	45
K0269.735A5X50	traffic red RAL 3020	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	50
K0269.735A5X55	traffic red RAL 3020	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	55
K0269.735A5X60	traffic red RAL 3020	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	60
K0269.735A5X70	traffic red RAL 3020	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	70
K0269.735A5X80	traffic red RAL 3020	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	80
K0269.735A5X90	traffic red RAL 3020	5	1/2-13	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	90
K0269.715A6X25	black gray RAL 7021	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	25
K0269.715A6X30	black gray RAL 7021	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	30
K0269.715A6X35	black gray RAL 7021	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	35
K0269.715A6X40	black gray RAL 7021	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	40
K0269.715A6X45	black gray RAL 7021	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	45
K0269.715A6X50	black gray RAL 7021	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	50
K0269.715A6X55	black gray RAL 7021	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	55
K0269.715A6X60	black gray RAL 7021	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	60
K0269.715A6X70	black gray RAL 7021	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	70
K0269.715A6X80	black gray RAL 7021	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	80
K0269.715A6X90	black gray RAL 7021	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	90
K0269.725A6X25	orange RAL 2004	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	25
K0269.725A6X30	orange RAL 2004	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	30
K0269.725A6X35	orange RAL 2004	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	35
K0269.725A6X40	orange RAL 2004	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	40
K0269.725A6X45	orange RAL 2004	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	45
K0269.725A6X50	orange RAL 2004	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	50
K0269.725A6X55	orange RAL 2004	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	55
K0269.725A6X60	orange RAL 2004	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	60
K0269.725A6X70	orange RAL 2004	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	70
K0269.725A6X80	orange RAL 2004	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	80
K0269.725A6X90	orange RAL 2004	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	90
K0269.735A6X25	traffic red RAL 3020	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	25
K0269.735A6X30	traffic red RAL 3020	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	30
K0269.735A6X35	traffic red RAL 3020	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	35
K0269.735A6X40	traffic red RAL 3020	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	40
K0269.735A6X45	traffic red RAL 3020	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	45
K0269.735A6X50	traffic red RAL 3020	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	50
K0269.735A6X55	traffic red RAL 3020	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	55
K0269.735A6X60	traffic red RAL 3020	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	60
K0269.735A6X70	traffic red RAL 3020	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	70
K0269.735A6X80	traffic red RAL 3020	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	80
K0269.735A6X90	traffic red RAL 3020	5	5/8-11	23	30	32,5	50,6	12	33	72	77	110	126	15,5	26	90